

Continuous Technologies

for <Customer>

<Pre><Pre>center>,

<Glatt Company>

<Place>; <Date>



We set the Standard

Continuous Technologies

Overview of Presentation

Fluidized Bed - General Overview

Granule Formation in the Fluid Bed

Continuous Fluid Bed - GF

Continuous Fluid Bed - AGT

Continuous Spouted Bed - ProCell

Laboratory Units and Rental Units

Product Examples






CONTACT


END





Fluid Bed Technology - General Overview





Product Advantages of Fluidized Bed





MAIN MENU

GENERAL

GRANULE FORMATION

GF MENU

AGT MENU

LAB / RENTAL UNITS

EXAMPLES



Advantages of the Fluid Bed Technology

Process Advantages

- Ideal mixing of material
- High intensity of material and heat exchange
- Gentle drying of temperature-sensitive materials
- Temperature in the bed may be as low as 40°C





MAIN MENU

GENERAL

BED FORMS

REGION OF OPERATION

GENERAL ADVANTAGES

ADVANTAGES OF CONTINUOUS PROCESS

PRODUCT ADVANTAGES



Advantages of the Fluid Bed Technology

Continuous processes

- Constant and reproducible product quality
- High throughput due to long operating time
- Little down times
- Total running time may be as high as 8000 hr/year





MAIN MENU

GENERAL

BED FORMS

REGION OF OPERATION

GENERAL ADVANTAGES

ADVANTAGES OF CONTINUOUS PROCESS

PRODUCT ADVANTAGES



Product Advantages of the Fluidized Bed

Product

- No problems with dust
- Easy to dose and to transport due to good free flowing property
- Constant filling weight and volume for packing and pressing due to constant bulk density
- No segregation of components of mixture





MAIN MENU

GENERAL

BED FORMS

REGION OF OPERATION

GENERAL ADVANTAGES

ADVANTAGES OF CONTINUOUS PROCESS

PRODUCT ADVANTAGES




Granule Formation in the Fluidized Bed

Why Granulation?

Principle Agglomeration

Principle Layering

Principle Coating







MAIN MENU

GENERAL

GRANULE FORMATION

GF MENU

AGT MENU

LAB / RENTAL UNITS

EXAMPLES



Granule Formation - Why Granulation?

Superior to

Powder

- no dust
- good free flowing properties
- easy to dose
- easy to transport
- decreased handling hazards

Liquid

- less weight
- less volume
- no precipitation or settlement
- easy to ship
- decreased handling hazards





MAIN MENU

GRANULE FORMATION

WHY GRANULATION?


AGGLOMERATION

LAYERING

COATING




Granule Formation - Principle: Agglomeration








Granule Formation - Principle Spray Granulation







Granule Formation - Principle Coating







MAIN MENU

GRANULE FORMATION

WHY GRANULATION?


AGGLOMERATION

LAYERING

COATING



Continuous Fluid Bed - GF



- Operating Principle
- Application
- Technology Advantages
- Product Characteristics
- Standard Plant
- GFG 500
- GSG





MAIN MENU

GENERAL

GRANULE FORMATION

GF MENU


AGT MENU

LAB / RENTAL UNITS

EXAMPLES




GF Operating Principle





GF Operating Principle





GF

Applications

GF-G

 \longrightarrow

Spray granulation of solutions, suspensions, melts

GF-G



Agglomeration of powder, instantiation

GF-C



Coating of granules, crystals, extrudates

GF-T



Drying of material of coarse or small grain size

GF-K



Cooling of material of coarse or small grain size





MAIN MENU

GF MENU

OPERATION PRINCIPLE

APPLICATION


TECHNOLOGY ADVANTAGES

PRODUCT CHARACTER

STANDARD PLANT




GF Application: Spray granulation





GF Application: Agglomeration




solid material + solution, suspension (binder)

Agglomeration
Drying
Cooling

e.g. milk powder instant tea



GF Application: Coating



solid material

- + binder
- + coating liquid

Agglomeration Coating Cooling

e.g. sugar





MAIN MENU

GF MENU

OPERATION PRINCIPLE

APPLICATION


TECHNOLOGY ADVANTAGES

PRODUCT CHARACTER

STANDARD PLANT



GF: Technology - Advantages



- Very variable process for granulating, drying, cooling and coating
- Combination of processes in one unit possible
- High yield due to the retention of dust up to 100% yield
- Simultaneous processing of solid and liquid raw materials to homogeneous granules





MAIN MENU

GF MENU

OPERATION PRINCIPLE

APPLICATION

TECHNOLOGY ADVANTAGES

PRODUCT CHARACTER

STANDARD PLANT



Characteristics of the Product

- Good dispersibility
- Excellent solubility
- Dust-free product
- Depending on raw material and process many product parameters can be influenced, like:
 - bulk density
 - grain size
 - agglomeration (0.2 ... 1.5 mm)
 - > layering (0.5 ... 5 mm)
 - hygroscopicity
 - residual moisture





MAIN MENU

GF MENU

OPERATION PRINCIPLE

APPLICATION


TECHNOLOGY ADVANTAGES

PRODUCT CHARACTER


STANDARD PLANT



GF: Standard Plant







GFG 500





MAIN MENU

GF MENU

OPERATION PRINCIPLE

APPLICATION

TECHNOLOGY ADVANTAGES

PRODUCT CHARACTER

STANDARD PLANT






GF MENU

OPERATION PRINCIPLE

PRODUCT CHARACTER



GFC 750





MAIN MENU

GF MENU

OPERATION PRINCIPLE

APPLICATION


TECHNOLOGY ADVANTAGES

PRODUCT CHARACTER

STANDARD PLANT



Continuous Fluid Bed - AGT



- Operating Principle
- Application
- Technology Advantages
- Product Characteristics
- Standard Plant
- AGT 2200





MAIN MENU

GENERAL

GRANULE FORMATION

GF MENU


AGT MENU

LAB / RENTAL UNITS

EXAMPLES




AGT-Operating Principle






AGT Application: Spray granulation






AGT Application: Granulation and Mixing





AGT: Technology - Advantages



- Simultaneous processing of solid and liquid raw materials to homogeneous granules
- High yield due to the recycling of dust up to 100% yield
- Constant mixing of the whole bed material
- Simultaneous drying of liquids and building of particle size
- Smaller equipment size compared to spray dryers





MAIN MENU

AGT MENU

OPERATION PRINCIPLE

APPLICATION

TECHNOLOGY ADVANTAGES

PRODUCT CHARACTER

STANDARD PLANT

AGT 2200



Characteristics of Product

- Narrow grain size distribution down to 0.5 mm
- Dust-free and compact granules
- Good resistance against abrasion
- Reduced hygroscopicity
- Good storage properties





MAIN MENU

AGT MENU

OPERATION PRINCIPLE

APPLICATION

TECHNOLOGY ADVANTAGES


PRODUCT CHARACTER

STANDARD PLANT

AGT 2200



AGT: Standard Plant







MAIN MENU

AGT MENU

OPERATION PRINCIPLE

APPLICATION

TECHNOLOGY ADVANTAGES

PRODUCT CHARACTER

STANDARD PLANT

AGT 2200

